

NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET

ISSUED


NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET

KEYNOTES


NEW WORK

NOTE: NOT ALL KEYNOTES WILL BE USED


- 8'-0" ALEO TYPE LP8-LPA-8-UX-100-8-CCT FIELD ADJUST-WH (2) LPA-ACCSY-PK (1) LPA-LNK-BRK
- EXIT SIGN - RELZXT-1-R-C-A-EM - RED CLEAR SINGLE FACE - ALUMINUM TRIM
- PROVIDE BLOCKING FOR WALL MOUNTED TV, REFER TO INTERIOR ELEVATIONS.
- EXISTING CEILING TILE, LIGHTS, AND CEILING ACCESSORIES TO REMAIN
- KANOPI OPTIMA PLANT BASED 2X2 ACT - WHITE - INSTALL IN EXISTING GRID.
- 2X2 SUPPLY GRILLE - PRICE SPD-GR00038 - A-WHA ARMSTRONG WHITELUME - 15/16" REGULAR TILE - 8" CONNECTION
- 2X2 RETURN GRILLE - PRICE SPD-GR00038 - A-WHA ARMSTRONG WHITELUME - 15/16" REGULAR TILE
- REMOVE EXISTING CEILING TILE AND GWB CEILING IN THIS AREA. COORDINATE NEW EAST WALL FOR BREAK LINE OF WHERE EXISTING CEILING IS TO REMAIN
- CARPET TILE - SHAW CONTRACT - CHROMATONE TILE 18" x 36" SCARLET CHARCOAL - 07854 WITH ROPPE 4" COVERED RUBBER BASE 148 STEEL GREY
- REMOVE AND SALVAGE EXISTING DOOR AND FRAME, COORDINATE STORAGE WITH OWNER.
- REUSE EXISTING DOOR, FRAME, AND HARDWARE FOR NEW OPENING 25
- REPAIR DRYWALL AT NEW WALL LOCATION. PAINT TO MATCH EXISTING. NEW RUBBER BASE ON THIS SIDE OF WALL TO MATCH EXISTING.
- LVT - SHAW CONTRACT - RETHINK. COLOR(S) SMART(33856) & METAL(33530). 50/50 SPLIT ON COLORS
- 16 - CUT EXISTING SLAB AND PATCH BACK FOR NEW FLOOR POWER AND DATA OUTLET
- 17 - QUARTZ COUNTERTOP - SEE SHEET D105 FOR SPECS
- REUSE EXISTING DOOR, FRAME, AND HARDWARE FOR NEW OPENING 28
- MODIFY EXISTING CEILING TILE TO ACCOMMODATE NEW WALL
- QUARTZ COUNTERTOP - CAESARSTONE FROSTY CARRINA - 5141
- NEW SWINGING DOOR. SEE 3/D107
- 22 - EXISTING WORK STATIONS TO REMAIN
- 23 - SEE SHEET G001 FOR PRODUCT INFORMATION. CONTACT DOORS 22 FOR GLASS WALL BRACING REQUIREMENTS.
- CEILING EXHAUST FAN. VERIFY CONNECTION TO EXISTING EXHAUST DUCT PRIOR TO ORDER.
- REMOVE EXISTING DOOR AND FRAME. COORDINATE WITH OWNER FOR DISPOSAL
- CUT WALL OPENING FOR NEW DOOR. REFRAME AS NEEDED
- REPAINT WALLS. MATCH EXISTING COLOR.




3 | BREAK ROOM REFLECTED CEILING PLAN
1/4" = 1'-0"




1 | BREAK ROOM PLAN
1/4" = 1'-0"



2 | BREAK ROOM DEMOLITION REFLECTED CEILING PLAN
1/8" = 1'-0"



4 | BREAKROOM DEMOLITION PLAN
1/8" = 1'-0"



- GROUP B (PASSAGE LOCKSET)
- 1.5 BUTTS
 - 1.0 PASSAGE LEVER
 - 1.0 WALL DOORSTOP

- TRUDDOOR
SCHLAGE
ASSA ABLOY
- BB-NRP
ALX10 LAT
ROCKWOOD 409

- GROUP C (PASSAGE LOCKSET)
- 1.5 BUTTS
 - 1.0 STOREROOM LEVER
 - 1.0 WALL DOORSTOP

- TRUDDOOR
SCHLAGE
ASSA ABLOY
- BB-NRP
ALX10 LAT
ROCKWOOD 409

LEGEND


- DEMOLITION**
- EXISTING WALLS TO REMAIN
 - DEMOLISHED WALLS/FIXTURES
 - AREA OF DEMOLITION
 - REMOVE CARPET/VCT & BASE
 - REMOVE CEILING TILES, LIGHTS, AND DIFFUSERS - LEAVE GRID


BREAKROOM PLANS

SCALE: As indicated


D102

DRAWN BY: Author







3 NORTH - CONFERENCE ROOM
1/2" = 1'-0"



2 SOUTH - CONFERENCE ROOM
1/2" = 1'-0"



1 WEST - CONFERENCE ROOM
1/2" = 1'-0"



4 EAST - CONFERENCE ROOM
1/2" = 1'-0"

KEYNOTES

INTERIOR ELEVATIONS
NOTE: NOT ALL KEYNOTES MAY BE USED

1	TV BY OTHERS (N.L.C.)
2	FLOATING SHELVES - SEE 2/D107.
3	UNDERCOUNTER REFRIDGERATOR - BY OWNER N.L.C.
4	QUARTZ COUNTERTOP - CAESARSTONE 1001 RIVERLET MINERAL
5	PNT1 - SW 7008 ALABASTER
6	DISH WASHER (N.L.C.)
8	4" BACKSPASH - MATCH COUNTER
9	NEW LOWER AND UPPER CABINETS - FORMICA 961 FOG
10	TILE - 3 x 12 PAPREKA III POLISHED CERAMIC WALL TILE W/ MAPEI S220 EGG WHITE ULTRACOLOR PLUS FA GROUT
11	REFRIDGERATOR (N.L.C.)
12	8'-0" ALEO TYPE LP8-LPA-8-LUX-100-8-CCT FIELD ADJUST-WH (2) LPA-ACCSY-PK (1) LPA-LNK-BRK
13	4" COVED RUBBER BASE TO MATCH EXISTING COLOR
15	BASE CABINETS - FORMICA 961 FOG. SEE D105 FOR TYPICAL DETAILS
16	QUARTZ COUNTERTOP - CAESARSTONE FROSTY CARRINA - 5141



2032 Lincoln Avenue
Suite 102
Ogden, UT
84401

T: (385) 244-1140
carbonarchitects.us

PROJECT:
**SSL
DEVELOPMENT
OFFICE
REMODEL**

220 MORRIS AVE
SOUTH SALT LAKE CITY UT 84115

DATE:	10/16/23
PROJECT NO:	22-4516
REVISION	DATE
1	11/08/22

ISSUED		
NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET



INTERIOR ELEVATIONS CONFERENCE ROOM


SCALE: 1/2" = 1'-0"

D104


DRAWN BY: Author

LEGEND


- DEMOLITION**
- EXISTING WALLS TO REMAIN
 - DEMOLISHED WALLS/FIXTURES
 - AREA OF DEMOLITION
 - REMOVE CARPET/VCT & BASE
 - REMOVE CEILING TILES, LIGHTS, AND DIFFUSERS - LEAVE GRID




7 DEVELOPMENT LOBBY PLAN Copy 1
1/4" = 1'-0"



8 DEVELOPMENT LOBBY DEMOLITION PLAN Copy 1
1/4" = 1'-0"



4 ADA COUNTER - EMPLOYEE SIDE Copy 1
1/2" = 1'-0"



6 ADA COUNTER - CUSTOMER SIDE Copy 1
1/2" = 1'-0"

KEYNOTES	
NEW WORK	
NOTE: NOT ALL KEYNOTES WILL BE USED	
1	8'-0" ALEO TYPE LP8-LPA-8-UX-100-8-CCT FIELD ADJUST-WH (2) LPA-ACCSY-PK (1) LPA-LNK-BRK
2	EXIT SIGN - RELZXT-1-R-C-A-EM - RED CLEAR SINGLE FACE - ALUMINUM TRIM
3	PROVIDE BLOCKING FOR WALL MOUNTED TV, REFER TO INTERIOR ELEVATIONS.
4	EXISTING CEILING TILE, LIGHTS, AND CEILING ACCESSORIES TO REMAIN
5	KANOPI OPTIMA PLANT BASED 2X2 ACT - WHITE - INSTALL IN EXISTING GRID.
6	2X2 SUPPLY GRILLE - PRICE SPD-GR00038 - A-WHA ARMSTRONG WHITELUME - 15/16" REGULAR TILE - 8" CONNECTION
7	2X2 RETURN GRILLE - PRICE SPD-GR00038 - A-WHA ARMSTRONG WHITELUME - 15/16" REGULAR TILE
8	REMOVE EXISTING CEILING TILE AND GWB CEILING IN THIS AREA. COORDINATE NEW EAST WALL FOR BREAK LINE OF WHERE EXISTING CEILING IS TO REMAIN
9	CARPET TILE - SHAW CONTRACT - CHROMATONE TILE 18" x 36" SCARLET CHARCOAL - 07854 WITH ROPPE 4" COVED RUBBER BASE 148 STEEL GREY
11	REMOVE AND SALVAGE EXISTING DOOR AND FRAME. COORDINATE STORAGE WITH OWNER.
12	REUSE EXISTING DOOR, FRAME, AND HARDWARE FOR NEW OPENING 25
13	REPAIR DRYWALL AT NEW WALL LOCATION. PAINT TO MATCH EXISTING. NEW RUBBER BASE ON THIS SIDE OF WALL TO MATCH EXISTING.
15	LVT - SHAW CONTRACT - RETHINK. COLOR(S) SMART(33856) & METAL(33530). 50/50 SPLIT ON COLORS
16	16 - CUT EXISTING SLAB AND PATCH BACK FOR NEW FLOOR POWER AND DATA OUTLET.
17	17 - QUARTZ COUNTERTOP - SEE SHEET D105 FOR SPECS
18	REUSE EXISTING DOOR, FRAME, AND HARDWARE FOR NEW OPENING 28
19	MODIFY EXISTING CEILING TILE TO ACCOMMODATE NEW WALL
20	QUARTZ COUNTERTOP - CAESARSTONE FROSTY CARRINA - 5141
21	NEW SWINGING DOOR. SEE 3/D107
22	22 - EXISTING WORK STATIONS TO REMAIN
23	23 - SEE SHEET G001 FOR PRODUCT INFORMATION. CONTACT DOORS 22 FOR GLASS WALL BRACING REQUIREMENTS.
24	CEILING EXHAUST FAN. VERIFY CONNECTION TO EXISTING EXHAUST DUCT PRIOR TO ORDER.
25	REMOVE EXISTING DOOR AND FRAME. COORDINATE WITH OWNER FOR DISPOSAL
26	CUT WALL OPENING FOR NEW DOOR. REFRAME AS NEEDED
27	REPAINT WALLS. MATCH EXISTING COLOR.

KEYNOTES	
INTERIOR ELEVATIONS	
NOTE: NOT ALL KEYNOTES MAY BE USED	
1	TV BY OTHERS (N.I.C)
2	FLOATING SHELVES - SEE 2/D107.
3	UNDERCOUNTER REFRIDGERATOR - BY OWNER N.I.C.
4	QUARTZ COUNTERTOP - CAESARSTONE 11001 RIVERLET MINERAL
5	PNT1 - SW 7008 ALABASTER
6	DISH WASHER (N.I.C)
8	4" BACKSPASH - MATCH COUNTER
9	NEW LOWER AND UPPER CABINETS - FORMICA 961 FOG
10	TILE - 3 x 12 PAPREKA III POLISHED CERAMIC WALL TILE W/ MAPEI 5220 EGG WHITE ULTRACOLOR PLUS FA GROUT
11	REFRIDGERATOR (N.I.C.)
12	8'-0" ALEO TYPE LP8-LPA-8-UX-100-8-CCT FIELD ADJUST-WH (2) LPA-ACCSY-PK (1) LPA-LNK-BRK
13	4" COVED RUBBER BASE TO MATCH EXISTING COLOR
15	BASE CABINETS - FORMICA 961 FOG. SEE D105 FOR TYPICAL DETAILS
16	QUARTZ COUNTERTOP - CAESARSTONE FROSTY CARRINA - 5141



2032 Lincoln Avenue
Suite 102
Ogden, UT
84401

T: (385) 244-1140
carbonarchitects.us

PROJECT:
SSL DEVELOPMENT OFFICE REMODEL

220 MORRIS AVE
SOUTH SALT LAKE CITY UT 84115

DATE: 10/16/23
PROJECT NO: 22-4516

REVISION	DATE
1	11/08/22

ISSUED		
NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET



INTERIOR ELEVATIONS ENTRY

SCALE: As indicated

D106

DRAWN BY: Author